









# LINE

Asennusohje / Montering / Installation / Инструкция по установке




# LINE

Huolto-ohje / Skötsel / Maintenance / Руководство по техническому



# LINE

## Säätöohje / Injustering / Adjustment / Инструкция по настройке




| $q_v = k \times \sqrt{\Delta P_m}$                 |   | k    |      |
|----------------------------------------------------|---|------|------|
|                                                    |   | LINE |      |
|                                                    |   | 100  | 125  |
| <div>25 mm</div> <div>25 mm</div> <div>/ kpl</div> | 0 | 3,14 | 4,48 |
|                                                    | 1 | 2,73 | 4,05 |
|                                                    | 2 | 2,31 | 3,70 |
|                                                    | 3 | 1,96 | 3,41 |
|                                                    | 4 | 1,59 | 3,04 |
|                                                    | 5 |      | 2,72 |
|                                                    | 6 |      | 2,44 |

| $q_v = k \times \sqrt{\Delta P_m}$                 |   | k     |      |
|----------------------------------------------------|---|-------|------|
|                                                    |   | LINEi |      |
|                                                    |   | 100i  | 125i |
| <div>25 mm</div> <div>25 mm</div> <div>/ kpl</div> | 0 | 3,40  | 4,90 |
|                                                    | 1 | 2,89  | 4,55 |
|                                                    | 2 | 2,52  | 4,10 |
|                                                    | 3 | 2,14  | 3,80 |
|                                                    | 4 | 1,78  | 3,40 |
|                                                    | 5 |       | 3,04 |
|                                                    | 6 |       | 2,68 |


# LINE

Suuntaus / Direction / Direktion / Направление




# LINE

**Näkyvän osan vaihto / Replacing the visible part /  
Bytandet av den synliga delen / Заменить видимую часть**



# LINE

## Kustomointi / Customization / Anpassning / настройка



Kiinnitysmassa esim. / Fixing mass ex. / Fixering massa tex. / фиксирующая масса: Soudal Fix All Turbo

Max. paino levylle / Max. weight for the plate / Max. vikt för plattan / Максимум. вес на тарелке: 1 kg

Lautasen mitat / Dimensions for the plate / Dimensioner för plattan / Размеры для плиты

Pyöreä / Round / Rund / круглый: min. Ø208 mm, max. Ø250 mm

Neliö / Square / Fyrkant / квадратный: min. 208x208 mm, max. 250x250 mm